

# **Notice of Allowability**

**Application No.**

09/994,657

**Examiner**

Joyce Tung

**Applicant(s)**

MARTIN ET AL.

**Art Unit**

1637

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to April 23, 2004.
2. ☒ The allowed claim(s) is/are claims 1-11.
3. ☒ The drawings filed on 11/28/2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## **Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 4152004.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

### REASONS FOR ALLOWANCE

The applicant's response filed April 23, 2004 to the Office action has been entered.

Claims 1-11 are pending.

1. The following is an examiner's statement of reasons for allowance:

Concerning claims 1-11, no prior art has been found teaching or suggesting a method of producing release of intracellular material from one or more cells comprising applying a continuous voltage of not more than 50 volts to a suspension containing said cells thereby releasing the intracellular material, wherein said continuous voltage excludes electroporation pulses of short duration in the order of milliseconds.

The closest prior art is the reference of Dower. (5,186,800). Dower discloses the method to collect intracellular substances released from cells (See column 5, lines 21-25) with a precise electric field strength based upon the cellular dimensions, for example, smaller size bacterial, the voltage 10-15kV/cm is applied and larger size bacterial, the voltage 5 to 10 kV/cm is applied (See column 7, lines 44-52). Dower does not disclose applying the voltage not more than 50 volts to a suspension containing said cells thereby releasing the intracellular material

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1637

2. Any inquiries concerning this communication or earlier communications from the examiner should be directed to Joyce Tung whose telephone number is (571) 272-0790. The examiner can normally be reached on Monday-Friday from 8:00 AM-4:30 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached at (571) 272-0782 on Monday-Friday from 10:00 AM-6:00 PM.

Any inquiries of a general nature or relating to the status of this application should be directed to the Chemical/Matrix receptionist whose telephone number is (703) 308-0196.

3. Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to Art Unit 1637 via the PTO Fax Center located in Crystal Mall 1 using (703) 305-3014 or 308-4242. The faxing of such papers must conform to the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989).

Joyce Tung

May 5, 2004

  
KENNETH R. HORLICK, PH.D  
PRIMARY EXAMINER

5/5/04